

Certificate of Constancy of Performance

This is to certify that:

Fläkt Woods Limited
Axial Way
Colchester
Essex
United Kingdom
CO4 5ZD

Holds Certificate No:

0086-CPR-474878

In respect of:

EN 12101-3:2002/AC:2005

JM HT Aerofoil & Induction Thrust Fans

as detailed on the Supplementary Information Sheets

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the above construction product.

This certificate attests that all the provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the above standard under system 1 are applied and that the products fulfil all the prescribed requirements set out above.

For and on behalf of BSI,
a Notified Body for the above Regulation
(Notified Body Number 0086):



Gary Fenton, Global Assurance Director

This certificate remains valid as long as the test methods and/or factory production control requirements included in the harmonised standard(s), used to assess the performance of the declared characteristics, do not change and the product(s), and the manufacturing conditions in the plant(s) are not modified significantly.

First Issued: 07 September 2004

Latest Issue: 04 April 2014

Page 1 of 18

...making excellence a habit.™

Certificate of constancy of performance

No. 0086-CPR-474878

Supplementary Information Sheet

Manufacturing Plant:

Fläkt Woods Limited

Axial Way
Colchester
Essex
CO4 5ZD
United Kingdom

JM HT Aerofoil Class F200	Models					
	31JM/16	35JM/16	40JM/16	40JM/20	45JM/16	45JM/20
	50JM/16	50JM/20	56JM/16	56JM/20	56JM/25	63JM/20
	63JM/25	63JM/31	71JM/20	71JM/25	71JM/31	80JM/20
	80JM/25	80JM/31	90JM/25	90JM/31	100JM/25	100JM/31
	100JM/40	100JM/50	112JM/31	112JM/40	112JM/50	125JM/31
	125JM/40	125JM/50	140JM/40	140JM/50	140JM/63	160JM/40
	160JM/50	160JM/63	31JMTS/16	35JMTS/16	40JMTS/16	40JMTS/20
	45JMTS/20	50JMTS/20	50JMTS/25	56JMTS/25	63JMTS/25	63JMTS/31
	71JMTS/31	80JMTS/25	80JMTS/31	90JMTS/31	100JMTS/31	100JMTS/40
	100JMTSP/40	100JMTSP/50	112JMTS/40	112JMTSP/40	112JMTSP/50	125JMTS/40
	125JMTSP/40	125JMTS/50	125JMTSP/50	140JMTSP/40	140JMTS/50	140JMTSP/50
	160JMTS/50	160JMTSP/50				
Response Delay	N/A					
Resistance to Fire class	F200					
Motor rating	Class B / Class F					
Ancillaries	Mounting brackets, Matching flanges, Fire Resistant Flexible Connectors, Bell mouth, Guard, Silencers, Air deflector vanes, Downstream guide vanes, Air operated Dampers, Vibration isolators, Craig and Derricott isolators, Moeller Isolators & Anti stall rings.					
BSRIA reports 17867B/4, 53868/9 & 53868/10 refer.						

First Issued: 07 September 2004

Latest Issue: 04 April 2014

Page 2 of 18

...making excellence a habit.™

Certificate of constancy of performance

No. 0086-CPR-474878

Supplementary Information Sheet

Manufacturing Plant:

Fläkt Woods Limited

Axial Way
Colchester
Essex
CO4 5ZD
United Kingdom

JM HT Aerofoil Class F300	Models					
	31JM/16	35JM/16	40JM/16	40JM/20	45JM/16	45JM/20
	50JM/16	50JM/20	56JM/16	56JM/20	56JM/25	63JM/25
	63JM/31	71JM/20	71JM/31	80JM/20	90JM/25	100JM/25
	100JM/31	100JM/40	100JM/50	112JM/40	112JM/50	125JM/40
	125JM/50	140JM/50	160JM/50	31JMTS/16	35JMTS/16	40JMTS/16
	40JMTS/20	45JMTS/20	50JMTS/20	50JMTS/25	56JMTS/25	63JMTS/25
	63JMTS/31	71JMTS/31	80JMTS/25	80JMTS/31	90JMTS/31	100JMTS/31
	100JMTS/40	112JMTS/40	125JMTS/40	125JMTS/50	140JMTS/50	160JMTS/50
Response Delay	N/A					
Resistance to Fire class	F200 & F300 (tested to 300°C, 120mins)					
Motor rating	Class F / Class H					
Ancillaries	Mounting brackets, Matching flanges, Fire Resistant Flexible Connectors, Bell mouth, Guard, Silencers, Air deflector vanes, Downstream guide vanes, Air operated Dampers, Vibration isolators & Craig & Derricott Fire Rated Isolators & Anti stall rings.					
BSRIA reports 53868/7 & 53868/25 Edition 3 refer.						

Certificate of constancy of performance

No. 0086-CPR-474878

Supplementary Information Sheet

Manufacturing Plant:

Fläkt Woods Limited
Axial Way
Colchester
Essex
CO4 5ZD
United Kingdom

JM HT Aerofoil Class F300 LM13 hubs	Models				
	71JM(G)/31	125JM(G)/40	140JM(G)/50	140JM(G)/63	160JM(G)/63
	160JM(G)/80	180JM(G)/63	180JM(G)/80	191JM(G)/63	200JM(G)/63
	224JM(G)/63	250JM(G)/63	80JMTS(G)/31	140JMTS(G)/63	160JMTS(G)/63
	160JMTS(G)/80	180JMTS(G)/63	180JMTS(G)/80	200JMTS(G)/63	200JMTS(G)/80
	224JMTS(G)/63	250JMTS(G)/63			
	125JM-IMI/40	140JM-IMI/50	140JM-IMI/63	160JM-IMI/63	160JM-IMI/80
	180JM-IMI/63	180JM-IMI/80	191JM-IMI/63	200JM-IMI/63	224JM-IMI/63
	250JM-IMI/63	160JMTS-IMI/63	160JMTS-IMI/80	180JMTS-IMI/63	180JMTS-IMI/80
	200JMTS-IMI/63	200JMTS-IMI/80	224JMTS-IMI/63	250JMTS-IMI/63	
Response Delay	N/A				
Resistance to Fire class	F200 & F300 (tested to 300°C, 120mins)				
Motor rating	Class F / Class H				
Ancillaries	Mounting brackets, Matching flanges, Fire Resistant Flexible Connectors, Bell mouth, Guard, Silencers, Air deflector vanes, Downstream guide vanes, Air operated Dampers, Vibration isolators, Craig & Derricott Fire Rated Isolators & Anti stall rings.				
BSRIA reports 53868/7, 53868/24 Edition 3 & 53868/25 Edition 3 refer.					

First Issued: 07 September 2004

Latest Issue: 04 April 2014

Page 4 of 18

...making excellence a habit.™

Certificate of constancy of performance

No. 0086-CPR-474878

Supplementary Information Sheet

Manufacturing Plant:

Fläkt Woods Limited
Axial Way
Colchester
Essex
CO4 5ZD
United Kingdom

JM HT Aerofoil Class F400	Models					
	31JM/16	35JM/16	40JM/16	45JM/16	45JM/20	50JM/16
	50JM/20	50JM/25	56JM/16	56JM/20	63JM/20	63JM/25
	63JM/31	71JM/20	71JM/25	71JM/31	80JM/25	80JM/31
	90JM/25	90JM/31	100JM/25	100JM/31	112JM/31	125JM/31
	31JMTS/16	35JMTS/16	40JMTS/16	40JMTS/20	45JMTS/20	50JMTS/20
	50JMTS/25	56JMTS/25	63JMTS/25	63JMTS/31	71JMTS/31	80JMTS/25
	80JMTS/31	90JMTS/31				
Response Delay	N/A					
Resistance to Fire class	F200, F300 & F400 (tested to 400°C, 120mins)					
Motor rating	Class F / Class H					
Ancillaries	Mounting brackets, Matching flanges, Fire Resistant Flexible Connectors, Bell mouth, Guard, Silencers, Air deflector vanes, Downstream guide vanes, Air operated Dampers, Vibration isolators, Craig & Derricott Fire Rated Isolators & Anti stall rings					
BSRIA reports 53868/13 Edition 2, 53868/14 & 53868/15 refer.						

Certificate of constancy of performance

No. 0086-CPR-474878

Supplementary Information Sheet

Manufacturing Plant:

Fläkt Woods Limited

Axial Way
Colchester
Essex
CO4 5ZD
United Kingdom

JM HT Aerofoil Class F400 LM13 hubs	Models			
	45JM/16	45JM/20	50JM/16	50JM/20
	50JM/25	56JM/16	56JM/20	63JM/20
	63JM/25	63JM/31	71JM/20	71JM/25
	71JM/31	80JM/20	80JM/25	80JM/31
	90JM/25	90JM/31	90JM/40	100JM(G)/25
	100JM(G)/31	100JM(G)/40	100JM(G)/50	112JM(G)/31
	112JM(G)/40	112JM(G)/50	125JM(G)/40	125JM(G)/50
	140JM(G)/40	140JM(G)/50	140JM(G)/63	160JM(G)/40
	160JM(G)/50	160JM(G)/63	180JM(G)/63	200JM(G)/63
	224JM(G)/63	224JM(G)/63	250JM(G)/63	112JMBH(G)/50
	125JMBH(G)/50	140JMBH(G)/50	160JMBH(G)/50	45JMTS/20
	50JMTS/20	50JMTS/25	56JMTS/25	63JMTS/25
	63JMTS/31	71JMTS/31	80JMTS/25	80JMTS/31
	90JMTS/31	90JMTS/40	100JMTS(G)/31	100JMTS(G)/40
	112JMTS(G)/40	112JMTS(G)/50	125JMTS(G)/40	125JMTS(G)/50
	140JMTS(G)/50	140JMTS(G)/63	160JMTS(G)/50	160JMTS(G)/63
	180JMTS(G)/63	200JMTS(G)/63	224JMTS(G)/63	250JMTS(G)/63
	112JMTSBH(G)/50	125JMTSBH(G)/50	140JMTSBH(G)/50	160JMTSBH(G)/50
	Response Delay	N/A		
Resistance to Fire class	F200, F300 & F400 (tested to 400°C, 120mins)			
Motor rating	Class F / Class H			
Ancillaries	Mounting brackets, Matching flanges, Fire Resistant Flexible Connectors, Bell mouth, Guard, Silencers, Air deflector vanes, Downstream guide vanes, Air operated Dampers, Vibration isolators, Craig & Derricott Fire Rated Isolators & Anti stall rings.			
BSRIA reports 53868/13 Edition 2, 53868/14 & 53868/15 refer.				

First Issued: 07 September 2004

Latest Issue: 04 April 2014

Page 6 of 18

...making excellence a habit.™

Certificate of constancy of performance

No. 0086-CPR-474878

Supplementary Information Sheet

Manufacturing Plant:

Fläkt Woods Limited

Axial Way
Colchester
Essex
CO4 5ZD
United Kingdom

JM HT Aerofoil Class F400 LM13 hubs	Models			
	45JM-IMI/16	45JM-IMI/20	50JM-IMI/16	50JM-IMI/20
	50JM-IMI/25	56JM-IMI/16	56JM-IMI/20	56JM-IMI/25
	63JM-IMI/20	63JM-IMI/25	63JM-IMI/31	71JM-IMI/20
	71JM-IMI/25	71JM-IMI/31	80JM-IMI/20	80JM-IMI/25
	80JM-IMI/31	90JM-IMI/25	90JM-IMI/31	90JM-IMI/40
	100JM-IMI/25	100JM-IMI/31	100JM-IMI/40	100JM-IMI/50
	112JM-IMI/31	112JM-IMI/40	112JM-IMI/50	125JM-IMI/31
	125JM-IMI/40	125JM-IMI/50	140JM-IMI/40	140JM-IMI/50
	140JM-IMI/63	160JM-IMI/40	160JM-IMI/50	160JM-IMI/63
	180JM(G)/63	200JM(G)/63	224JM(G)/63	224JM(G)/63
	250JM(G)/63	112JMBH-IMI/50	125JMBH-IMI/50	140JMBH-IMI/50
	160JMBH-IMI/50	45JMTS-IMI/20	50JMTS-IMI/20	50JMTS-IMI/25
	56JMTS-IMI/25	63JMTS-IMI/25	63JMTS-IMI/31	71JMTS-IMI/31
	80JMTS-IMI/25	80JMTS-IMI/31	90JMTS-IMI/31	90JMTS-IMI/40
	100JMTS-IMI/31	100JMTS-IMI/40	100JMTS-IMI/50	112JMTS-IMI/40
	112JMTS-IMI/50	125JMTS-IMI/40	125JMTS-IMI/50	140JMTS-IMI/40
	140JMTS-IMI/50	140JMTS-IMI/63	160JMTS-IMI/50	160JMTS-IMI/63
	160JMTS-IMI/80	112JMTSBH-IMI/50	125JMTSBH-IMI/50	140JMTSBH-IMI/50
	160JMTSBH-IMI/50			
Response Delay	N/A			
Resistance to Fire class	F200, F300 & F400 (tested to 400°C, 120mins)			
Motor rating	Class F / Class H			
Ancillaries	Mounting brackets, Matching flanges, Fire Resistant Flexible Connectors, Bell mouth, Guard, Silencers, Air deflector vanes, Downstream guide vanes, Air operated Dampers, Vibration isolators, Craig & Derricott Fire Rated Isolators & Anti stall rings.			
BSRIA reports 53868/13 Edition 2, 53868/14 & 53868/15 refer.				

First Issued: 07 September 2004

Latest Issue: 04 April 2014

Page 7 of 18

...making excellence a habit.™

Certificate of constancy of performance

No. 0086-CPR-474878

Supplementary Information Sheet

Manufacturing Plant:

Fläkt Woods Limited

Axial Way
Colchester
Essex
CO4 5ZD
United Kingdom

JMF Aerofoil Class F400	Models			
	112JMF(G)/50	125JMF(G)/50	140JMF(G)/62	160JMF(G)/62
	160JM(G)71	160JMF(G)/80	180JMF(G)/72	180JM(G)80
	200JMF(G)/80	200JMF(G)/90	224JMF(G)/80	224JMF(G)/112
	250JMF(G)/100	250JMF(G)/140	280JMF(G)/140	100JMFTS(G)/50
	112JMTS(G)50	125JMFTS(G)/50	140JMFTS(G)/62	160JMFTS(G)/62
	160JMFTS(G)71	180JMFTS(G)/72	180JMFTS(G)80	200JMFTS(G)/80
	200JMFTS(G)/90	224JMFTS(G)/80	224JMFTS(G)/112	250JMFTS(G)/100
	250JMFTS(G)/140	280JMFTS(G)/140	140JMF-IMI/62	160JMF-IMI/62
	100JMFTS-IMI/50	125JMFTS-IMI/50	140JMFTS-IMI/62	160JMFTS-IMI/62
	160JMFTS-IMI/71			
Response Delay	N/A			
Resistance to Fire class	F200, F300 and F400 (<i>tested to 400degC, 120mins</i>).			
Motor rating	Class F / Class H			
Ancillaries	Mounting brackets, Matching flanges, Fire Resistant Flexible Connectors, Bell mouth, Guard, Silencers, Air deflector vanes, Downstream guide vanes, Air operated Dampers, Vibration isolators, Craig & Derricott Fire Rated Isolators & Anti stall rings.			
BSRIA reports 53868/13 Edition 2, 53868/14 & 53868/15 refer.				

First Issued: 07 September 2004

Latest Issue: 04 April 2014

Page 8 of 18

...making excellence a habit.™

Certificate of constancy of performance

No. 0086-CPR-474878

Supplementary Information Sheet

Manufacturing Plant:

Fläkt Woods Limited

Axial Way
Colchester
Essex
CO4 5ZD
United Kingdom

JM HT Aerofoil Class F300 Steel Hubs, Aluminium Blades	Models				
	160JM(G)71/16	160JM(G)/80	180JM(G)71/16	180JM(G)/80	200JM(G)80/18
	200JM(G)/80	200JM(G)/100	212JM(G)/100	224JM(G)/80	224JM(G)80/18
	224JM(G)/112	250JM(G)/80	250JM(G)100/16	250JM(G)/100	280JM(G)/80
	280JM(G)/100	280JM(G)125/24	100JMTS(G)/50	125JMTS(G)/50	140JMTS(G)/71
	160JMTS(G)/71	160JMTS(G)/80	180JMTS(G)/62	180JMTS(G)/71	180JMTS(G)/80
	200JMTS(G)/80	200JMTS(G)/100	213.4JMTS(G)/80	224JMTS(G)/80	224JMTS(G)/112
	228.6JMTS(G)/80	237.1JMTS(G)/80	250JMTS(G)/80	250JMTS(G)/100	280JMTS(G)/80
	280JMTS(G)/100	280JMTS(G)/112	160JM-IMI/80	180JM-IMI/80	200JM-IMI/80
	200JM-IMI/100	212JM-IMI/100	224JM-IMI/80	224JM-IMI/112	250JM-IMI/80
	250JM-IMI/100	280JM-IMI/80	280JM-IMI/100	160JMTS-IMI/80	180JMTS-IMI/80
	200JMTS-IMI/80	224JMTS-IMI/80	224JMTS-IMI/112	250JMTS-IMI/80	250JMTS-IMI/100
250JMTS-IMI/112	280JMTS-IMI/80	280JMTS-IMI/100	280JMTS-IMI/112		
Response Delay	N/A				
Resistance to Fire class	F200 & F300 <i>(tested to 300°C, 120mins)</i>				
Motor rating	Class F / Class H				
Ancillaries	Mounting brackets, Matching flanges, Fire Resistant Flexible Connectors, Bell mouth, Guard, Silencers, Air deflector vanes, Downstream guide vanes, Air operated Dampers, Vibration isolators, Craig & Derricott Fire Rated Isolators & Anti stall rings.				
BSRIA reports 53868/7, 53868/24 Edition 3 & 53868/25 Edition 3 refer.					

First Issued: 07 September 2004

Latest Issue: 04 April 2014

Page 9 of 18

...making excellence a habit.™

Certificate of constancy of performance

No. 0086-CPR-474878

Supplementary Information Sheet

Manufacturing Plant:

Fläkt Woods Limited

Axial Way
Colchester
Essex
CO4 5ZD
United Kingdom

JM HT Aerofoil Class F200 LM13 hubs	Models				
	71JM(G)/31	125JM(G)/40	140JM(G)/50	140JM(G)/63	160JM(G)/63
	160JM(G)/80	180JM(G)/63	180JM(G)/80	191JM(G)/63	200JM(G)/63
	224JM(G)/63	250JM(G)/63	80JMTS(G)/31	140JMTS(G)/63	160JMTS(G)/63
	160JMTS(G)/80	180JMTS(G)/63	180JMTS(G)/80	200JMTS(G)/63	200JMTS(G)/80
	224JMTS(G)/63	250JMTS(G)/63			
	125JM-IMI/40	140JM-IMI/50	140JM-IMI/63	160JM-IMI/63	160JM-IMI/80
	180JM-IMI/63	180JM-IMI/80	191JM-IMI/63	200JM-IMI/63	224JM-IMI/63
	250JM-IMI/63	160JMTS-IMI/63	160JMTS-IMI/80	180JMTS-IMI/63	180JMTS-IMI/80
	200JMTS-IMI/63	200JMTS-IMI/80	224JMTS-IMI/63	250JMTS-IMI/63	
Response Delay	N/A				
Resistance to Fire class	F200 (tested to 300°C, 120mins)				
Motor rating	Class F / Class H				
Ancillaries	Mounting brackets, Matching flanges, Fire Resistant Flexible Connectors, Bell mouth, Guard, Silencers, Air deflector vanes, Downstream guide vanes, Air operated Dampers, Vibration isolators, Craig & Derricott Fire Rated Isolators & Anti stall rings.				
BSRIA reports 53868/22 Edition 2 & 53868/23 Edition 2 refer					

Certificate of constancy of performance

No. 0086-CPR-474878

Supplementary Information Sheet

Manufacturing Plant:

Fläkt Woods Limited
Axial Way
Colchester
Essex
CO4 5ZD
United Kingdom

Car Park Range

Induction Thrust Fans

Induction Thrust Fan (ITF)	Models		
	N50	N75	N100
Response Delay	N/A		
Resistance to Fire class	F200 & F300 <i>(tested to 300°C, 120mins)</i>		
Motor Rating	Class F / Class H		
Ancillaries	Craig & Derricott Fire Rated Isolator		
BSRIA Report 53868-16 refers.			

Induction Thrust Fan (ITF)	Models	
	IF504804	50N
Response Delay	N/A	
Resistance to Fire class	F400 (tested to 400°C, 120mins)	
Motor Rating	Class H	
Ancillaries	Craig & Derricott Isolator	
BSRIA Report 57479/2 refers.		

First Issued: 07 September 2004

Latest Issue: 04 April 2014

Page 11 of 18

...making excellence a habit.™

Certificate of constancy of performance

No. 0086-CPR-474878

Supplementary Information Sheet

Manufacturing Plant:

Fläkt Woods Limited

Axial Way

Colchester

Essex

CO4 5ZD

United Kingdom

Jet Thrust Fans

F200 Car Park Models - 200°C/2 Hours

Product	Diameter	Product Code	Accessories
Standard	315mm	31JT/2SP/UBB/	Inlet & Outlet Guards
	315mm	31JT/2SP/UBD/	Guard & Deflector
	315mm	31JT/2SP/RBB/	Inlet & Outlet Guards
	315mm	31JT/2SP/RDD/	Inlet & Outlet Deflectors
	355mm	35JT/2SP/UBB/	Inlet & Outlet Guards
	355mm	35JT/2SP/UBD/	Guard & Deflector
	355mm	35JT/2SP/RBB/	Inlet & Outlet Guards
	355mm	35JT/2SP/RDD/	Inlet & Outlet Deflectors
	400mm	40JT/2SP/UBB/	Inlet & Outlet Guards
	400mm	40JT/2SP/UBD/	Guard & Deflector
	400mm	40JT/2SP/RBB/	Inlet & Outlet Guards
	400mm	40JT/2SP/RDD/	Inlet & Outlet Deflectors
Low Profile	315mm	31JT/2LP/UBB/	Inlet BM & Guard Outlet Guard
	315mm	31JT/2LP/UBD/	BM & Guard & Deflector
	315mm	31JT/2LP/RBB/	Inlet & Outlet BM & Guards
	315mm	31JT/2LP/RDD/	Inlet & Outlet Deflectors
	355mm	35JT/2LP/UBB/	Inlet BM & Guard Outlet Guard
	355mm	35JT/2LP/UBD/	BM & Guard & Deflector
	355mm	35JT/2LP/RBB/	Inlet & Outlet BM & Guards
	355mm	35JT/2LP/RDD/	Inlet & Outlet Deflectors
	400mm	40JT/2LP/UBB/	Inlet BM & Guard Outlet Guard
	400mm	40JT/2LP/UBD/	BM & Guard & Deflector
	400mm	40JT/2LP/RBB/	Inlet & Outlet BM & Guards
	400mm	40JT/2LP/RDD/	Inlet & Outlet Deflectors
Low Profile Max Thrust	315mm	31JT/2LPMT/UBB/	Inlet BM & Guard Outlet Guard
	315mm	31JT/2LPMT/UBD/	BM & Guard & Deflector
	355mm	35JT/2LPMT/UBB/	Inlet BM & Guard Outlet Guard
	355mm	35JT/2LPMT/UBD/	BM & Guard & Deflector
	400mm	40JT/2LPMT/UBB/	Inlet BM & Guard Outlet Guard
	400mm	40JT/2LPMT/UBD/	BM & Guard & Deflector
BSRIA report 53868/17 refers			

First Issued: 07 September 2004

Latest Issue: 04 April 2014

Page 12 of 18

...making excellence a habit.™

Certificate of constancy of performance

No. 0086-CPR-474878

Supplementary Information Sheet

Manufacturing Plant:

Fläkt Woods Limited
Axial Way
Colchester
Essex
CO4 5ZD
United Kingdom

Jet Thrust Fans

F200 Car Park Models - 200°C/2 Hours

Product	Diameter	Product Code	Accessories
Slim-Line	315mm	31JT/2SL/UBB/	Inlet & Outlet Guards
	315mm	31JT/2SL/UBD/	Guard & Deflector
	315mm	31JT/2SL/RBB/	Inlet & Outlet Guards
	315mm	31JT/2SL/RDD/	Inlet & Outlet Deflectors
	355mm	35JT/2SL/UBB/	Inlet & Outlet Guards
	355mm	35JT/2SL/UBD/	Guard & Deflector
	355mm	35JT/2SL/RBB/	Inlet & Outlet Guards
	355mm	35JT/2SL/RDD/	Inlet & Outlet Deflectors
	400mm	40JT/2SL/UBB/	Inlet & Outlet Guards
	400mm	40JT/2SL/UBD/	Guard & Deflector
	400mm	40JT/2SL/RBB/	Inlet & Outlet Guards
	400mm	40JT/2SL/RDD/	Inlet & Outlet Deflectors
Slim Line Max thrust	315mm	31JT/2SLMT/UBB/	Inlet & Outlet Guards
	315mm	31JT/2SLMT/UBD/	Guard & Deflector
	355mm	35JT/2SLMT/UBB/	Inlet & Outlet Guards
	355mm	35JT/2SLMT/UBD/	Guard & Deflector
	400mm	40JT/2SLMT/UBB/	Inlet & Outlet Guards
	400mm	40JT/2SLMT/UBD/	Guard & Deflector
Compact Profile	315mm	31JT/2CP/UBB/	Inlet & Outlet Guards
	315mm	31JT/2CP/UBD/	Guard & Deflector
	315mm	31JT/2CP/RBB/	Inlet & Outlet Guards
	315mm	31JT/2CP/RDD/	Inlet & Outlet Deflectors
EV	400mm	40JT/2EV/UBB/	Inlet BM & Guard Outlet Guard
	400mm	40JT/2EV/RBB/	Inlet & Outlet BM & Guards
BSRIA report 53868/17 refers			

First Issued: 07 September 2004

Latest Issue: 04 April 2014

Page 13 of 18

...making excellence a habit.™

Certificate of constancy of performance

No. 0086-CPR-474878

Supplementary Information Sheet

Manufacturing Plant:

Fläkt Woods Limited
Axial Way
Colchester
Essex
CO4 5ZD
United Kingdom

Jet Thrust Fans

F300 Car Park Models - 300°C/2 Hours

Product	Diameter	Product Code	Accessories
Standard	315mm	31JT/3SP/UBB/	Inlet & Outlet Guards
	315mm	31JT/3SP/UBD/	Guard & Deflector
	315mm	31JT/3SP/RBB/	Inlet & Outlet Guards
	315mm	31JT/3SP/RDD/	Inlet & Outlet Deflectors
	355mm	35JT/3SP/UBB/	Inlet & Outlet Guards
	355mm	35JT/3SP/UBD/	Guard & Deflector
	355mm	35JT/3SP/RBB/	Inlet & Outlet Guards
	355mm	35JT/3SP/RDD/	Inlet & Outlet Deflectors
	400mm	40JT/3SP/UBB/	Inlet & Outlet Guards
	400mm	40JT/3SP/UBD/	Guard & Deflector
	400mm	40JT/3SP/RBB/	Inlet & Outlet Guards
	400mm	40JT/3SP/RDD/	Inlet & Outlet Deflectors
Low Profile	315mm	31JT/3LP/UBB/	Inlet BM & Guard Outlet Guard
	315mm	31JT/3LP/UBD/	BM & Guard & Deflector
	315mm	31JT/3LP/RBB/	Inlet & Outlet BM & Guards
	315mm	31JT/3LP/RDD/	Inlet & Outlet Deflectors
	355mm	35JT/3LP/UBB/	Inlet BM & Guard Outlet Guard
	355mm	35JT/3LP/UBD/	BM & Guard & Deflector
	355mm	35JT/3LP/RBB/	Inlet & Outlet BM & Guards
	355mm	35JT/3LP/RDD/	Inlet & Outlet Deflectors
	400mm	40JT/3LP/UBB/	Inlet BM & Guard Outlet Guard
	400mm	40JT/3LP/UBD/	BM & Guard & Deflector
	400mm	40JT/3LP/RBB/	Inlet & Outlet BM & Guards
	400mm	40JT/3LP/RDD/	Inlet & Outlet Deflectors
Low Profile Max Thrust	315mm	31JT/3LPMT/UBB/	Inlet BM & Guard Outlet Guard
	315mm	31JT/3LPMT/UBD/	BM & Guard & Deflector
	355mm	35JT/3LPMT/UBB/	Inlet BM & Guard Outlet Guard
	355mm	35JT/3LPMT/UBD/	BM & Guard & Deflector
	400mm	40JT/3LPMT/UBB/	Inlet BM & Guard Outlet Guard
	400mm	40JT/3LPMT/UBD/	BM & Guard & Deflector

BSRIA report 53868/17 refers

First Issued: 07 September 2004

Latest Issue: 04 April 2014

Certificate of constancy of performance

No. 0086-CPR-474878

Supplementary Information Sheet

Manufacturing Plant:

Fläkt Woods Limited

Axial Way

Colchester

Essex

CO4 5ZD

United Kingdom

Jet Thrust Fans

F300 Car Park Models - 300°C/2 Hours

Product	Diameter	Product Code	Accessories
Slim-Line	315mm	31JT/3SL/UBB/	Inlet & Outlet Guards
	315mm	31JT/3SL/UBD/	Guard & Deflector
	315mm	31JT/3SL/RBB/	Inlet & Outlet Guards
	315mm	31JT/3SL/RDD/	Inlet & Outlet Deflectors
	355mm	35JT/3SL/UBB/	Inlet & Outlet Guards
	355mm	35JT/3SL/UBD/	Guard & Deflector
	355mm	35JT/3SL/RBB/	Inlet & Outlet Guards
	355mm	35JT/3SL/RDD/	Inlet & Outlet Deflectors
	400mm	40JT/3SL/UBB/	Inlet & Outlet Guards
	400mm	40JT/3SL/UBD/	Guard & Deflector
	400mm	40JT/3SL/RBB/	Inlet & Outlet Guards
	400mm	40JT/3SL/RDD/	Inlet & Outlet Deflectors
Slim Line Max Thrust	315mm	31JT/3SLMT/UBB/	Inlet & Outlet Guards
	315mm	31JT/3SLMT/UBD/	Guard & Deflector
	355mm	35JT/3SLMT/UBB/	Inlet & Outlet Guards
	355mm	35JT/3SLMT/UBD/	Guard & Deflector
	400mm	40JT/3SLMT/UBB/	Inlet & Outlet Guards
	400mm	40JT/3SLMT/UBD/	Guard & Deflector
Compact Profile	315mm	31JT/3CP/UBB/	Inlet & Outlet Guards
	315mm	31JT/3CP/UBD/	Guard & Deflector
	315mm	31JT/3CP/RBB/	Inlet & Outlet Guards
	315mm	31JT/3CP/RDD/	Inlet & Outlet Deflectors
EV	400mm	40JT/3EV/UBB/	Inlet BM & Guard Outlet Guard
	400mm	40JT/3EV/RBB/	Inlet & Outlet BM & Guards
Induction	ITF50	ITF504801	BM & Guard & Deflector
	ITF75	ITF754801	BM & Guard & Deflector
	ITF100	ITF104801	BM & Guard & Deflector
BSRIA reports 53868/16 & 53868/17 refer			

First Issued: 07 September 2004

Latest Issue: 04 April 2014

Page 15 of 18

...making excellence a habit.™

Certificate of constancy of performance

No. 0086-CPR-474878

Supplementary Information Sheet

Manufacturing Plant:

Fläkt Woods Limited
Axial Way
Colchester
Essex
CO4 5ZD
United Kingdom

Jet Thrust Fans

F400 Car Park Models - 400°C/2 Hours

Product	Diameter	Product Code	Accessories
Standard	315mm	31JT/4SP/UBB/	Inlet & Outlet Guards
	315mm	31JT/4SP/UBD/	Guard & Deflector
	315mm	31JT/4SP/RBB/	Inlet & Outlet Guards
	315mm	31JT/4SP/RDD/	Inlet & Outlet Deflectors
	355mm	35JT/4SP/UBB/	Inlet & Outlet Guards
	355mm	35JT/4SP/UBD/	Guard & Deflector
	355mm	35JT/4SP/RBB/	Inlet & Outlet Guards
	355mm	35JT/4SP/RDD/	Inlet & Outlet Deflectors
	400mm	40JT/4SP/UBB/	Inlet & Outlet Guards
	400mm	40JT/4SP/UBD/	Guard & Deflector
	400mm	40JT/4SP/RBB/	Inlet & Outlet Guards
	400mm	40JT/4SP/RDD/	Inlet & Outlet Deflectors
Low Profile	315mm	31JT/4LP/UBB/	Inlet BM & Guard Outlet Guard
	315mm	31JT/4LP/UBD/	BM & Guard & Deflector
	315mm	31JT/4LP/RBB/	Inlet & Outlet BM & Guards
	315mm	31JT/4LP/RDD/	Inlet & Outlet Deflectors
	355mm	35JT/4LP/UBB/	Inlet BM & Guard Outlet Guard
	355mm	35JT/4LP/UBD/	BM & Guard & Deflector
	355mm	35JT/4LP/RBB/	Inlet & Outlet BM & Guards
	355mm	35JT/4LP/RDD/	Inlet & Outlet Deflectors
	400mm	40JT/4LP/UBB/	Inlet BM & Guard Outlet Guard
	400mm	40JT/4LP/UBD/	BM & Guard & Deflector
	400mm	40JT/4LP/RBB/	Inlet & Outlet BM & Guards
	400mm	40JT/4LP/RDD/	Inlet & Outlet Deflectors
Low Profile Max Thrust	315mm	31JT/4LPMT/UBB/	Inlet BM & Guard Outlet Guard
	315mm	31JT/4LPMT/UBD/	BM & Guard & Deflector
	355mm	35JT/4LPMT/UBB/	Inlet BM & Guard Outlet Guard
	355mm	35JT/4LPMT/UBD/	BM & Guard & Deflector
	400mm	40JT/4LPMT/UBB/	Inlet BM & Guard Outlet Guard
	400mm	40JT/4LPMT/UBD/	BM & Guard & Deflector

BSRIA report 53868/17 refers

First Issued: 07 September 2004

Latest Issue: 04 April 2014

Page 16 of 18

...making excellence a habit.™

Certificate of constancy of performance

No. 0086-CPR-474878

Supplementary Information Sheet

Manufacturing Plant:

Fläkt Woods Limited
Axial Way
Colchester
Essex
CO4 5ZD
United Kingdom

Jet Thrust Fans

F400 Car Park Models - 400°C/2 Hours

Product	Diameter	Product Code	Accessories
Slim-Line	315mm	31JT/4SL/UBB/	Inlet & Outlet Guards
	315mm	31JT/4SL/UBD/	Guard & Deflector
	315mm	31JT/4SL/RBB/	Inlet & Outlet Guards
	315mm	31JT/4SL/RDD/	Inlet & Outlet Deflectors
	355mm	35JT/4SL/UBB/	Inlet & Outlet Guards
	355mm	35JT/4SL/UBD/	Guard & Deflector
	355mm	35JT/4SL/RBB/	Inlet & Outlet Guards
	355mm	35JT/4SL/RDD/	Inlet & Outlet Deflectors
	400mm	40JT/4SL/UBB/	Inlet & Outlet Guards
	400mm	40JT/4SL/UBD/	Guard & Deflector
	400mm	40JT/4SL/RBB/	Inlet & Outlet Guards
	400mm	40JT/4SL/RDD/	Inlet & Outlet Deflectors
Slim-Line Max Thrust	315mm	31JT/4SLMT/UBB/	Inlet & Outlet Guards
	315mm	31JT/4SLMT/UBD/	Guard & Deflector
	355mm	35JT/4SLMT/UBB/	Inlet & Outlet Guards
	355mm	35JT/4SLMT/UBD/	Guard & Deflector
	400mm	40JT/4SLMT/UBB/	Inlet & Outlet Guards
	400mm	40JT/4SLMT/UBD/	Guard & Deflector
Compact Profile	315mm	31JT/4CP/UBB/	Inlet & Outlet Guards
	315mm	31JT/4CP/UBD/	Guard & Deflector
	315mm	31JT/4CP/RBB/	Inlet & Outlet Guards
	315mm	31JT/4CP/RDD/	Inlet & Outlet Deflectors
EV	400mm	40JT/4EV/UBB/	Inlet BM & Guard Outlet Guard
	400mm	40JT/4EV/RBB/	Inlet & Outlet BM & Guards
BSRIA report 53868/17 refers			

First Issued: 07 September 2004

Latest Issue: 04 April 2014

Page 17 of 18

...making excellence a habit.™

Certificate of constancy of performance


No. 0086-CPR-474878

Supplementary Information Sheet

Manufacturing Plant:

Fläkt Woods Limited
Axial Way
Colchester
Essex
CO4 5ZD
United Kingdom

Explanation of Nomenclature for Jet Thrust Fans



NOTE:
Compact Profile fans are available in 315 diameter only
EV fans are available in 400 diameter only

First Issued: 07 September 2004

Latest Issue: 04 April 2014

Page 18 of 18

...making excellence a habit.™